Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	448	(378/144).ccls. and @pd<"20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 15:10
S2	925	(464/180).ccls. and @pd<"20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 15:10
S3	2688	rotat$3 same (plate or anode or target or rotor) same balance same (weight or mass or load) same (groove or slot) and @pd<"20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 16:21
S4	2280	rotat$3 same (plate or anode or target or rotor) same balance same (weight$1 or mass) same (groove or slot) and @pd<"20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 16:22
S5	524	rotat$3 same (anode or target or rotor) same balance same (weight$1 or mass) same (groove or slot) and @pd<"20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 09:43
S6	2176	@pd<"20021223" and (xray x-ray) near2 (tube assembly) and rotat$3 near2 (anode target)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 09:29

S7	2159	@pd<"20021223" and (xray x-ray) near2 tube and rotat$3 near2 (anode target)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 09:29
S8	1966	@pd<"20021223" and (xray x-ray) near2 tube and rotat$3 near2 anode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 09:29
S9	56	@pd<"20021223" and (xray x-ray) near2 tube and rotat$3 near2 anode and (378/143).ccls. and (378/144).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 09:30
S10	175	flange and rotat$3 same (anode or target or rotor) same balance same (weight$1 or mass) same (groove or slot) and @pd<"20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 10:53
S12	168	flange and rotat$3 same (target or rotor) same balance same (weight$1 or mass) same (groove or slot) and @pd<"20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:13
S16	0	@pd<"20021223" and (expansion expanded) near2 screw and (expandable near2 weight)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:16

S17	1942	@pd<"20021223" and (expansion expanded) near2 screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:16
S18	509	@pd<"20021223" and (expansion expanded) near2 screw and (weight load mass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:38
S19	5	@pd<"20021223" and (expan$5) near2 screw and (expandable near3 (weight load mass))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 11:39
S20	140	@pd<"20021223" and (groove slot) near10 (t-shape t-shaped triangle triangular) near10 (weight mass load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 12:56
S21	14	@pd<"20021223" and (groove slot) near10 (t-shape t-shaped) near10 (weight mass) and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/20 12:57
S22	2853	@pd<"20021223" and rotat$3 near10 (plate target rotor object) same balance and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:18

S23	2528	@pd<"20021223" and rotat$3 near10 (plate target rotor) same balance and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:18
S24	1977	@pd<"20021223" and rotat$3 near5 (plate target rotor) same balance and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:18
S26	260	@pd<"20021223" and rotat$3 near5 (plate target rotor) near10 balance and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:21
S27	3	@pd<"20021223" and rotat$3 near5 (plate target rotor) near10 balance near10 flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:21
S28	5	@pd<"20021223" and rotat$3 near10 (plate target rotor) near10 balance near10 flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:06
S29	0	@pd<"20021223" and rotat$3 near10 (plate target rotor) near10 balance same (mount$3 near3 bore$1) near5 flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 12:57

Ref #	Hits	Search Query	DBs	Op	Plurals	Time Stamp
S30	3	@pd<"20021223" and rotat$3 near10 balance same (mount$3 near3 bore$1) near5 flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 09:33
S31	18	("2613058" | "2843356" | "3181835" | "3297302" | "3853425" | "3888601" | "4304523" | "4477226" | "4480959" | "4648799" | "4803893" | "4842485" | "4890981").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 13:30
S32	17	("2755063" | "2998959" | "3096074" | "3814539" | "3888601" | "4171930" | "4192633" | "4304523" | "4344740" | "4432555" | "4470756" | "4507052" | "4767276").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 13:31
S33	23	("2614796" | "2662725" | "2772853" | "2982518" | "2998959" | "3077811" | "3544138" | "3957393" | "4021138" | "4065846" | "4171930" | "4189282" | "4304523" | "4349318" | "4480959" | "4606111").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 13:32
S34	12	("0298565" | "0421088" | "0494996" | "2219161" | "3231298" | "3499667").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 13:32
S35	2	"2613058".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:45
S36	2	"2843356".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:45
S37	2	"3181835".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:45
S38	2	"3297302".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:47
S39	1	"3853425".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:48
S40	1	"3853425".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:48
S41	1	"3888601".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:48
S42	1	"4304523".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:49
S43	1	"4477226".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:49

S44	1	"4480957".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:50
S45	1	"4480959".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:51
S46	1	"4648799".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:52
S47	1	"4803893".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:52
S48	1	"4842485".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:53
S49	1	"4480957".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:53
S50	1	"4890981".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:53
S51	1	"4304523".PN.	USPAT; USOCR	OR	OFF	2005/07/21 13:53
S52	13	@pd<"20021223" and rotat$3 near3 balance near3 flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:25
S53	199643	@pd<"20021223" and (circumferential circumferentially circular tangential tangentially radial radially circularly annular annularly) near3 flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:27
S54	154044	@pd<"20021223" and (circumferential circumferentially circular circularly annular annularly) near3 flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:27

S55	16822	@pd<"20021223" and (circumferential) near3 flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:27
S56	9471	@pd<"20021223" and (circumferential) adj flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:27
S57	936	@pd<"20021223" and (circumferential) adj flange and (rotat$3 near3 (plate rotor disc disk target))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:28
S58	80	@pd<"20021223" and (circumferential) adj flange and (rotat$3 near3 (plate rotor disc disk target)) and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:28
S59	163	@pd<"20021223" and (circumferential) adj flange and (rotat$3 near3 (plate rotor disc disk target)) and balanc$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:30
S60	1	@pd<"20021223" and ((circumferential) adj flange) near5 (weight mass load) and (rotat$3 near3 (plate rotor disc disk target)) and balanc$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:31

S61	22	@pd<"20021223" and ((circumferential) adj flange) same (weight mass load) and (rotat$3 near3 (plate rotor disc disk target) and balanc$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:31
S62	183	@pd<"20021223" and rotat$3 near5 (plate target rotor) near5 balance and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:52
S63	3	rotat$3 near10 balance same (mount$3 near3 bore$1) near5 flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 09:33
S64	1753974	"6341600" B1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:21
S65	2	"6341600"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:21